



47516069



## SCHUKO socket outlet with hinged cover Berker Q.1/Q.3/Q.7/Q.9, polar white velvety

### Technical features

#### Architecture

|             |                        |
|-------------|------------------------|
| Design      | according to DIN 49440 |
| Fixing mode | flush-mounting         |

#### Connectivity

|                  |       |
|------------------|-------|
| Type of USB port | other |
|------------------|-------|

#### Main electrical features

|                 |          |
|-----------------|----------|
| Nominal voltage | 250 V    |
| Rated voltage   | 250 V AC |
| Frequency       | 50/60 Hz |
| Rated current   | 16 A     |

#### Electric current

|               |      |
|---------------|------|
| Rated current | 16 A |
|---------------|------|

#### Cover, door

|                                     |                     |
|-------------------------------------|---------------------|
| Cover                               | Central cover plate |
| - with hinged cover that falls back |                     |

#### Materials

|                       |                       |
|-----------------------|-----------------------|
| Colour of design line | polar white           |
| Colour                | polarwhite            |
| Colour                | white                 |
| RAL colour            | RAL 9010 - Pure white |
| Material              | duroplastic           |
| Surface appearance    | velvety               |

#### Installation, mounting

|                   |                     |
|-------------------|---------------------|
| Installation mode | with spreader claws |
|-------------------|---------------------|

#### Connection

|                          |                                 |
|--------------------------|---------------------------------|
| Connection terminals     | according to IEC 60884-1        |
| Connection terminals     | according to VDE 0620-1:2021-02 |
| - with plug-in terminals |                                 |

#### Safety

|   |      |
|---|------|
| IK protection code against mechanical impacts | 02   |
| Protection index IP                           | IP20 |
| - without enhanced contact protection         |      |

#### Identification

|                          |  |
|--------------------------|--|
| Main design line         | Berker Q.1/Q.3/Q.7/Q.9                         |
| Secondary design line(s) | Berker Q.1, Berker Q.3, Berker Q.7, Berker Q.9 |